


# Bexar County 2005 Selected Demographics and Health Indicators

## 2005 Bexar County Births



| Bexar County Births       | Number | % of Births |
|---------------------------|--------|-------------|
| Total Births              | 25,582 | 100%        |
| Hispanic Births           | 17,274 | 67.5%       |
| Non Hispanic White Births | 6,321  | 24.7%       |
| African American Births   | 1,447  | 5.7%        |
| Other Births              | 540    | 2.1%        |

| Bexar County Births      | Number | % of Births |
|--------------------------|--------|-------------|
| Mother's Age <18         | 1,369  | 5%          |
| Low Birth Weight         | 2,291  | 9%          |
| Late Prenatal Care       | 6,754  | 26%         |
| Births to Single Mothers | 10,623 | 42%         |
| Premature <37 Weeks      | 3,100  | 12%         |
| Medicaid Births**        | 12,857 | 50%         |

| Maternal Health issues                              | Number | % of Births |
|---|--------|-------------|
| Births occurring within 24 months of previous birth | 4,577  | 18%         |
| Births to mothers BMI 30 and above before pregnancy | 6,046  | 24%         |
| Cesarean birth                                      | 8,552  | 33%         |
| Hep B not given at birth                            | 6,724  | 26%         |

| Bexar County        | Number | rate per 1,000 Births |
|---------------------|--------|-----------------------|
| Infant Mortality*** | 170    | 6.6                   |

\*Texas State Data Center Population Estimate

\*\*Medicaid does not include Emergency Medicaid

\*\*\*Infant Mortality rates are per 1,000 live births

Birth and Death data as of 4/2006

Late prenatal care-no prenatal care during the 1st trimester

Low Birth Weight-live-born infants weighing < 2,500 grams

All births and deaths are by county of residence

## 2005 Bexar County Deaths



| Bexar County 2005 Leading Causes of Death                        | All Ages | %    |
|--|----------|------|
| Diseases of heart  | 2,592    | 26%  |
| Cancer   | 2,138    | 21%  |
| Chronic lower respiratory diseases                               | 635      | 6%   |
| Cerebrovascular diseases   | 602      | 6%   |
| Diabetes   | 494      | 5%   |
| All other accidents  | 330      | 3%   |
| Alzheimer's disease  | 265      | 3%   |
| Chronic liver disease and cirrhosis                              | 258      | 3%   |
| Renal disease (kidney)   | 171      | 2%   |
| Influenza and pneumonia  | 169      | 2%   |
| Septicemia   | 163      | 2%   |
| Motor vehicle accident   | 162      | 2%   |
| Perinatal, congenital malformations or chromosomal abnormalities | 148      | 1%   |
| Symptoms, signs and abnormal clinical and laboratory findings    | 148      | 1%   |
| Suicide  | 144      | 1%   |
| Essential (primary) hypertension and hypertensive renal disease  | 120      | 1%   |
| Homicide   | 105      | 1%   |
| Not listed   | 1,424    | 14%  |
| Total  | 10,068   | 100% |

## 2005 Bexar County Population Estimate \*

| Age              | Total     |     |
|------------------|-----------|-----|
| Total            | 1,476,351 |     |
| Hispanic         | 832,536   | 56% |
| NH White         | 502,065   | 34% |
| African American | 105,832   | 7%  |
| Other            | 35,918    | 2%  |